

Gamma Irradiation

45kGy ■ 0kGy **Urokinase in PBS** of Dried Urokinase Suspended in PPG400 **Urokinase in PPG400 Dried Urokinase**

1:00




Gamma Irradiation of Trypsin In the Presence of Increasing Amounts of Added Moisture




tipue 3


Gamma Irradiation of Hydrolyzed Heart Valve Cusps in the Presence of PPG 400




Gamma Irradiation of Hydrolyzed Heart Valve Cusps in the Presence of PPG 400 and 125 mM Trolox C



Gamma Irradiation of Hydrolyzed Heart Valve Cusps in the Presence of PPG 400 and a Stabilizer Mixture of 62.5mM TroloxC, 100mM Lipoic Acid, 100mM Coumaric Acid, and 100mM n-Propyl Gallate



Gamma Irradiation of Porcine Heart



- 3. PPG400, 0 kGy


119 88 52.3 36.8


30.1 22 7.6

- 4. PPG400, 30 kGy
- 5. PPG400 and TroloxC, 0 kGy
- 6. PPG400 and TroloxC, 30 kGy
- Coumaric Acid, and n-Propyl Gallate, 0 kGy 7. PPG400 and a Cocktail of TroloxC, Lipoic Acid,
- Coumaric Acid, and n-Propyl Gallate, 30kGy 8. PPG400 and a Cocktail of TroloxC, Lipoic Acid,


1) Sur Yol

Gamma Irradiation of Hydrolyzed Heart Valve Cusps in the Presence of PBS






Gamma Irradiation of Hydrolyzed Heart Valve Cusps in the Presence of 50% DMSO



Gamma Irradiation of Hydrolyzed Heart Valve Cusps in the Presence of 50% DMSO and a Stabilizer Mixture of 167 mM Ascorbate, 166 mM Coumaric Acid, and 100 mM n-Propyl Gallate



Gamma Irradiation of Porcine Heart Valve Cusps in the Presence of Various Solvents

Reduced

1. Molecular Weight Markers

130

48.6

36.4

2. PBS, 0 kGy

3. PBS, 25 kGy

4. PPG400, 0 kGy

5. PPG400, 25 kGy

6. 50% DMSO, 0 kGy

墨

其

29.8

9.9

7. 50% DMSO, 25 kGy

8. 50% DMSO and Cocktail of Ascorbate, Coumaric Acid, and n-Propyl Gallate, 0 kGy


9

S


9. 50% DMSO and Cocktail of Ascorbate, Coumaric Acid, and n-Propyl Gallate, 25 kGy

Figure SE


Gamma Irradiation of Hydrolyzed Heart Valve Cusps in the Presence of PBS




Gamma Irradiation of Hydrolyzed Heart Valve Cusps in the Presence of a Cryopreservative (Containing Approximately 20% DMSO)




Gamma Irradiation of Hydr⇔lyzed Heart Valve Cusps in the Presence of 50% DMSO




Gamma Irradiation of Hydrolyzed Heart Valve Cusps in the Presence of 50% DMSO and Ascorbate




Gamma Irradiation of Porcine Heart Valve Cusps in the Presence of Various Solvents






- 1. Molecular Weight Markers
- 2. Cryopreservative, 0 kGy 3. Cryopreservative, 30 kGy
- 4. PBS, 0 kGy 5. PBS, 30 kGy
- 6. 50% DMSO, 0 KGy 7. 50% DMSO, 30 KGy
- 8. 50% DMSO and Ascorbate, 0 kGy 9. 50% DMSO and Ascorbate, 30 kGy


Gamma Irradiation of Hydrolyzed Heart Valve Cusps in the Presence of PBS




Gamma Irradiation of Hydrolyzed Heart Valve Cusps in the Presence of PBS and Ascorbate




Gamma Irradiation of Hydrolyzed Heart Valve Cusps in the Presence of PPG 400




Gamma Irradiation of Hydrolyzed Heart Valve Cusps Dehydrated with PPG 400 and Rehydrated in the Presence of




Samma Irradiation of Hydrolyzed Heart Valve Cusps in the Presence of 50% DMSO



Gamma Irradiation of Hydrolyzed Heart Valve Cusps in the Presence of 50% DMSO and Ascorbate




The ment of Porcine Heart Valve Cusps in the Presence of Various Solvents



- 1. Molecular Weight Markers
- 2. PBS, 0 kGy
- 3. PBS, 45 kGy
- 4. PBS and Ascorbate, 0 kGy
- 5. PBS and Ascorbate, 45 kGy
- 6. PPG400, 0 kGy
- 7. PPG400, 45 kGy
- 8. Dehydrated in PPG400 and Rehydrated with PBS and Ascorbate, 0 kGy
- 9. Dehydrated in PPG400 and Rehydrated with PBS and Ascorbate, 45 kGy

Figure 761

Gamma Irradiation of Porcine Heart Valve Cusps in the Presence of Various Solvents



- 1. Molecular Weight Markers
- 2. 50% DMSO, 0 kGy
- 3. 50% DMSO, 45 kGy
- 4. 50% DMSO and Ascorbate, 0 kGy
- 5. 50% DMSO and Ascorbate, 45 kGy

t care